BREAKINGPOINT VIRTUAL EDITION (VE)



DATA SHEET

VIRTUALIZED APPLICATION AND SECURITY TESTING

PROBLEM: WITH VIRTUALIZATION OF NETWORK AND SECURITY FUNCTIONS, EVERYTHING KNOWN BECOMES UNKNOWN

Today's networks need to adapt quickly, and facilitate change. Strategies like network functions virtualization (NFV) and software defined networking (SDN) provide powerful flexibility gains by moving traditional application and security functions—like application delivery, load balancing, data packet inspection (DPI), firewall, intrusion prevention system (IPS), and sandbox components—off dedicated hardware onto virtualized servers. Virtualized tools need to deliver the same or better performance and similar security efficacy than the traditional hardware appliances. Without a way to properly test these virtualized application and security devices, customer quality of experience (QoE) is at risk.

SOLUTION: AN EASY-TO-USE TESTING ECOSYSTEM FOR VIRTUALIZED INFRASTRUCTURE

Ixia's BreakingPoint VE provides scalable real-world application and threat simulation in a deployment model that fits IT budgets by leveraging virtualization and industry-standard hardware platforms. To build resilient physical or virtual networks, you can rely on by using BreakingPoint VE to maximize security investments and optimize network architectures. Now virtualization-enabled, market-proven BreakingPoint application offers cost-effective, elastic, and sharable virtualized test capabilities that are quickly deployed and scaled across geo-diverse enterprise-wide networks.


Just as important as the high-fidelity and flexible test functionality, the BreakingPoint VE subscription model is

HIGHLIGHTS

- Validate functionality of applicationaware devices and networks - virtual and physical
- Optimize virtual or physical network security devices such as IDS/IPS, DLP, UTM, NGFW, WAF, and web proxy
- Validate distributed denial of service (DDoS) and other attack defenses over cloud
- Get the best value when evaluating new security devices by performing head-to-head "bake-offs"
- Realize the savings of cloud and virtual network functions (VNF) without compromising security
- Keep current with new applications and threats Intelligence updates every two weeks
- Flexibly deploy Ixia virtual test tools that can be easily moved, changed, or scaled up and down
- Validate NFV migration by testing within OpenStack-based private clouds
- Leverage subscription-based licensing enabling low startup cost and flexibility of pay-as-you-grow OPEX model




26601 Agoura Road | Calabasas, CA 91302 USA | Tel + 1-818-871-1800 | www.ixiacom.com 915-3618-01-7061 Rev B aligned with enterprise project-based IT OPEX funding requirements. Acquire the tools quickly, scale up and scale down as projects needs demand, and deploy anywhere with virtualization speed and simplicity.



BreakingPoint VE deployment for both virtual and physical device tests

KEY FEATURES:

- Simulates more than 300 real-world application protocols
- Allows for customization and manipulation of any protocol, including raw data
- Generates a mix of protocols at high speed with realistic protocol weight
- Supports more than 37,000 attacks and malwares
- Delivers from a single port all types of traffic simultaneously, including legitimate traffic, DDoS, and malware
- Bi-monthly Application and Threat Intelligence (ATI) subscription updates ensure you're are current with the latest applications and threats
- · Subscription based licensing model comes an all-inclusive license that reduces startup cost
- Seamless transition between hardware and virtual platforms enables easy translation of functional and performance testing in physical or virtual environments
- BreakingPoint supports all major Hypervisors allowing deployment in a wide variety of VM environments
- Common licensing server shared among BreakingPoint VE, IxLoad VE, and IxNetwork VE



BreakingPoint GUI configured with an enterprise trading floor application mix test

SPECIFICATIONS

FEATURE	VIRTUAL SYSTEM CONTROLLER	VIRTUAL BLADE
Maximum # of Virtual Ports	96	8 (depends on host system)
Maximum # of Virtual Load Modules	12	N/A
Maximum # of Users	20	8

FEATURE	VIRTUAL SYSTEM CONTROLLER	VIRTUAL BLADE
Hardware Specifications	Minimum 8vCPUs, 8GB RAM, 110GB HDD	Recommended 4vCPUs, 8GB RAM, 14GB HDD 1 vCPU / 2GB RAM (performance & scalability = low) 2 vCPU / 4GB RAM (performance & scalability = medium) 4 vCPU / 8GB RAM (performance & scalability = high)
Guest OS	Based on CentOS 6.6	Based on CentOS 7.0
Distribution/Packaging (Linux version)	 VMware: OVA (manual deployment) KVM: QCOW2 (manual deployment) Upgrade-only: BPS (upgrade already deployed System Controller) 	VMware:

QUALIFIED AND COMPATIBLE ENVIRONMENTS

BreakingPoint VE is designed to work best when used in a qualified environment. Our recommendation is to always use one of the qualified versions of the virtualization platforms.

BreakingPoint VE is also compatible with different environments. In case there are issues encountered in these environments, Ixia will make reasonable efforts to address them, but cannot guarantee specific outcomes or results. In such rare cases, the proposed solution would be to use the qualified environment.

CATI	EGORY	QUALIFIED	COMPATIBLE
Hypervisor a	nd Host OS	VMware vSphere ESXi 6.XKVM over CentOS 7.XKVM over Ubuntu 14.04 LTS	 VMware vSphere ESXi 5.X KVM over CentOS 6.X KVM over Ubuntu 12.04 LTS KVM over RHEL 6.X KVM over RHEL 7.X
Management Orchestratio		OpenStack Mitaka and Liberty (vanilla distribution) ⁱ	 VMware vCenter 5.Xi VMware vCenter 6.Xi Other OpenStack-based platforms (vanilla distributions)i Other OpenStack-based platforms (vendor-specific distributions)i
Network Connection and vNIC Driver	Performance Acceleration Enabled (DPDK)	 VMXNET3 (VMware) 	N/A
	Performance Acceleration Disabled (DPDK)	VMXNET3 (VMware)VIRTIO (KVM)	
Virtual Switc	h Model	 Virtual Standard Switch (only on VMware) Linux Bridges (only on KVM) Open Virtual Switch (only on OpenStack)ⁱ 	 Virtual Distributed Switch (only on VMware)ⁱ Open Virtual Switch (only on KVM)ⁱ Linux Bridges (only on OpenStack)ⁱ
Physical CPI	J	DPDK Capable CPU Required (Extensions SSSE3 or above)	N/A

PROTOCOLS AND FEATURES

BreakingPoint-VE is powered by Ixia's application and threat intelligence (ATI) program that delivers a wide variety of applications and attacks to emulate traffic mix and security threats of small medium or large enterprises, service providers or government organizations at scale. The application and attack emulation is complemented with BreakingPoint's comprehensive network stack that simulates network components like IPV4, IPV6, IPsec, LTE, 3G/4G, and DNS, helping in orchestrating a wide variety of network environments.

SPECIFICATION	DESCRIPTION
Applications	300+ application protocols, including Yahoo!® Mail and Messenger, Google® Gmail, Skype®, BitTorrent™, eDonkey, RADIUS, SIP, RTSP, RTP, HTTP, SSL, Facebook®, Twitter Mobile, YouTube®, and Apple® FaceTime®, as well as other mobile, social, and gaming protocols – with Multicast support
Wireless Interfaces (IPv4 only)	 S1-U (eNodeB and SGW sides) S1-MME (eNodeB side) SGi (PDN side) S5/8 (SGW and PGW sides) S11 (MME and SGW sides) Wireless Protocols Supported: S1AP GTP-C v1, GTP-C v2, GTP-U v1 SCTP (over UDP or IP)
Wireless Operational Modes (IPv4 only)	 User Equipment eNodeB/MME (GTPv2) eNodeB/MME/SGW (GTPv2) eNodeB (S1AP/ GTPv1) SGW/PGW MME/SGW/PGW PGW
Network Access	 IPv4/IPv6 Static Hosts IPv4 DHCP Client/Server VLAN IPv4/IPv6 Router IPv4/IPv6 DNS
Test Methodologies/Labs	 RFC 2544 Lab Session Sender Lab Multicast Lab Lawful Intercept Lab DDoS Lab


SPECIFICATION	DESCRIPTION
Security Exploits/Malware	 36,000+ total attacks 6,000+ exploits 30,000+ malware 100+ evasion classes
	Attacks include: IP-based DoS attack types: ICMP flood test case ICMP fragmentation test case Ping flood test case UDP-based DoS attack types: UDP flood test case UDP fragmentation test case UDP fragmentation test case Non-spoofed UDP flood test case Non-spoofed UDP flood test case Syn flood test case Syn-ack flood test case Pata ack and push flood test case Fragmented ack test case Fragmented ack test case Application-layer attack types: DNS flood attack case Excessive verb attack case Recursive GET Floods Slow POSTs Botnets: Zeus SpyEye BlackEnergy Duqu
	Pushdo Cutwail *Go to Ixiacom.com to get more details about ATI attacks

SPECIFICATION	DESCRIPTION
Licensing	All-inclusive license unlocks all features
	All new features available at no additional cost during subscription duration
	Each licensing unit enables:
	 1G-Tier - 1Gbps of throughput, 2M concurrent super flows and single security and security NP component
	 10G-Tier - 10Gbps of throughput, 20M concurrent super flows and two security and security NP component

PRODUCT CAPABILITIES

SIMPLE AND EASY VM DEPLOYMENT

Deploying and adding BreakingPoint VM card and test port can be achieved through the BreakingPoint's GUI. It's a simple process of providing credentials to the VM Host and there on the rest of the process has been entirely automated to do the VM deployment and getting it added to the BreakingPoint chassis.




BreakingPoint VM deployment through the GUI Admin page.

APPLICATION AND THREAT INTELLIGENCE (ATI) PROGRAM

Ixia's ATI program consists of several engineering units spread across the world, engaging in coordinated research and leveraging years of experience in understanding application behaviors, malicious activities, and attack methods to ensure BreakingPoint software is always updated and always current. The ATI team uses advanced surveillance techniques and cutting-edge research to identify, capture, and rapidly deliver the intelligence needed to conduct meaningful and thorough performance and security validation under the most realistic simulation conditions. Releasing updates every two weeks for more than 10 years, the ATI program comprises a library of 37,000+ attacks (Exploits, Malwares, DDoS, etc.), 330+ popular applications, and over 2,000 canned tests.

Additionally, the ATI program ensures:

- Newer applications and attacks can be incorporated in BreakingPoint without the need of any firmware or OS updates
- Users stay up to date with the ever-changing cyber-world—new applications are added and popular applications are updated to current versions
- Monthly malware packages contain fast-changing malware and botnet attacks
- Well researched, real-world application mixes that emulate traffic patterns of diverse demographics and business verticals.




ATI packages can be updated through the intuitive BreakingPoint GUI

BREAKINGPOINT TEST COMPONENTS

BreakingPoint offer a single Web GUI for management results in simple, central control of all components and capabilities. Test components helps configure legitimate application, malicious, malformed and stateless traffic to validate application-aware devices and networks.

	Test Components
Application Simulator	Allows users to create mix of applications and run tests in 2-Arm mode (BreakingPoint being the client and server) to test application-aware devices
BitBlaster	Transmits layer 2 frames and analyzes a device's ability to handle stateless malformed or normal traffic at high speed
Client Simulation	Allows users to generate client traffic via Super lows against real servers (device under test) in 1-Arm mode (BreakingPoint being the client)
Live AppSim	Amplifies BreakingPoint traffic realism by running TrafficREWIND summary configurations that replicate the dynamic nature of production networks and applications; it leverages TrafficREWIND's ability to record and synthesize production traffic characteristics over extended periods of time.
Recreate	Helps users to import captured traffic from network and replay it through BreakingPoint ports
Routing Robot	Determines if a DUT routes traffic properly by sending routable traffic from one interface and monitoring the receiving interface; this is useful to perform RFC2544 and network DDoS testing
Security	Measures a device's ability to protect a host by sending strikes and verifying that the device successfully blocks the attacks
Security NP	This subset of Security allows users to send malware traffic at higher loads
Session Sender	Enables testing of pure TCP and/or UDP behavior and performance and is also capable of performing advanced DDoS attacks
Stack Scrambler	Validates integrity of different protocol stacks by sending malformed IP, TCP, UDP, ICMP, and Ethernet packets (produced by a fuzzing technique) to the DUT




BreakingPoint purpose-built test components

APPLICATION SIMULATION

BreakingPoint simulates over 300 real-world applications, each configurable with application actions (flow) to simulate multiple user behavior and dynamic content. BreakingPoint also provides 100s of predefined application mix profiles representative of various enterprise and carrier networks.

Content realism is critical in validating performance of application-aware devices and networks, as it has a direct impact on inspection performance. BreakingPoint offers various functionality to easily parametrize applications with representative payloads such as:

- Tokens that allow users to randomize data as part of the application flow to prevent devices from accelerating bandwidth or detecting static data patterns.
- Markov text generation, which is a unique way of converting documents into new documents to generate random data by word instead of by character, allowing the data to look realistic, but at the same time to be dynamic.
- Dictionary functionality that allows users to input a table of rows as an input to a field. These are highly useful for emulating scenarios such as brute force attacks, where a user can input a huge list of passwords that are randomly sent one after the other through the "password" field in a flow.
- Dynamic file generation capability that allows users to generate different types of attachments like exe, jpg, pdf, flash, and mpeg and helps in testing a device's file handling or blocking capabilities.
- Multi-Language capability that allows users to send emails, chats, or texts in languages like French,
 Spanish, German, and Italian, making the contents demographically realistic.



BreakingPoint provides flexibility to emulate a variety of apps and protocols that can be assembled to create real-world application mixes

Last-Modified: Mon, 12 Jul 13 05:56:39 GMT

Date: Wed, 22 Jun 14 19:16:20 GMT

Connection: Keep-Alive Server: BreakingPoint/1.x Content-Type: text/html Content-Length: 2037

<! DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"

"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"><html

xmlns="http://www.w3.org/1999/xhtml"><head><meta content="text/html; charset=UTF-8" http-equiv="Content-Type"/><title>broach the subject of his</title><style type="text/css">p { vertical-align: text-bottom; background-color: #1ec4cc; background-image: none; display: inline; list-style-image: none; clear: right; font-family: cursive; border-width: thin; }</style></head>

<body>Copyright (C) 2005-2011 BreakingPoint Systems, Inc. All Rights

Reserved.<h5><q>Aterrible country, Mr.</q><q>Bickersteth and yourself has, unfortunately</q>We sallied out at once<u>Corcoran's portrait may not

have</u>Won't you have an egg<u>Who the deuce is Lady</u>

BreakingPoint generates real-world application and security strike traffic; this example shows an HTTP request and response

TRAFFICREWIND AND LIVE APPSIM

Ixia's new TrafficREWIND solution complements BreakingPoint to easily translate production network insight into test traffic configurations with high fidelity. TrafficREWIND is a scalable, real-time architecture that uses production traffic metadata to record and synthesize traffic characteristics over extended periods of time (up to 7 days). The resulting test configuration from TrafficREWIND is used in BreakingPoint's Live AppSim test component. Live AppSim adds a new testing dimension by empowering users not only replicate traffic profiles with associated real-world applications, but also dynamically changing traffic composition over time to model the temporal nature of production networks and applications in the lab.

Live AppSim is used to run TrafficREWIND exported traffic summary configurations, opening up unprecedented test possibilities:

- Faster fault analysis and reproduction capabilities
- Reference architectures and pre-deployment validation with production-like application mixes
- Relevant what-if scenarios by combining real production traffic with other test traffic, including security strikes, incremental applications, or even fuzzing




Live Profile created by importing a TrafficREWIND traffic summary configuration

COMPREHENSIVE SECURITY

BreakingPoint delivers the industry's most comprehensive solution test network security devices—such as IPSs, IDSs, firewalls, and DDoS mitigation. It measures a device's ability to protect a host by sending strikes and verifying that the device successfully blocks the attacks. Simply select a Strike List and an Evasion Setting to create a security test, or use one of the default options.


- Supports over 37,000 strikes and malware and the attacks can be obfuscated by over 100 evasion techniques
- Emulate botnets, from zombie to command and control (C&C) communication
- Simulates a variety of volumetric, protocol, and application-layer DDoS attacks
- Generates legitimate and malicious traffic from the same port—purpose-built hardware design allows sending all types of traffic simultaneously from a single port, with full control of the weight/mix of legitimate traffic, DDoS and other attacks, malware, and fuzzing



An intelligent search bar makes it easier to browse through the 37,000+ attacks

NETWORK NEIGHBORHOOD


BreakingPoint's Network Neighborhood provides flexibility for the user to create simple to highly complex network environments. It includes support of commonly used network elements like IPV4, IPV6, VLAN, IPsec, DHCP, DNS and for 3G/4G mobile infrastructure network elements.



A complex mobile Network Neighborhood created in BreakingPoint that include some key network elements

LOAD PROFILES

Load profiles and constraint provides users options to have more granular controls over the test run. This helps users create varied network conditions and load dynamics like rate controls, burst profiles, and Poisson distribution.



A BreakingPoint MicroBurst Load profile

PRE-DEFINED TEST METHODOLOGIES/LABS

Leverage extensive automation and wizard-like labs that address many use-case scenarios, including validation of lawful intercept and data loss prevention (DLP) solutions, RFC2544, DDoS, Session Sender, and Multicast.

In addition, a REST and TCL API are provided for building and executing automated tests.




A test configured with DDoS Lab

BUILT-IN REPORTING

BreakingPoint's extensive reports provide detailed information about the test, such as the components used in a test, addressing information, DUT profile configuration, system versions, and results of the test.

- All reports include an aggregated test results section, which provides the combined statistics for all of the test components. It also includes the information over time, to pin-point a potential error within the time-slot it happened.
- All reports are automatically generated in HTML and viewable with a web browser; however, you
 may export the test results in XLS, HTML, PDF, RTF, CSV, or ZIP (CSV files). Reports are
 automatically generated each time a test is run and are viewable from the Results page.
- Comparison Report feature allows you to run multiple iterations of the same test on different load modules or different ports and compare the results. You have the option of comparing all sections of the tests, or you can select only certain sections to be included in the comparison.



A segment of BreakingPoint report showcasing flow mix

TECHNOLOGY SOLUTIONS

VISIT IXIACOM.COM FOR MORE INFORMATION ON BREAKINGPOINT AND IXIA VIRTUALIZATION SOLUTIONS

- BreakingPoint—Applications and Security Testing
- BreakingPoint Virtual Edition (VE)—Virtualized Application and Security Testing
- IxLoad Virtual Edition (VE)—Virtualized Multiplay Services Testing
- IxNetwork Virtual Edition (VE)—Virtualized Network Performance Testing

ORDERING INFORMATION

939-9600

BreakingPoint Virtual Edition (VE) SUBSCRIPTION FLOATING License. INCLUDES access to Application and Threat Intelligence Program (ATI) and updates for the purchased term (List price is per unit, per year). REQUIRES: License term to be specified (MUST be purchased in multiples of years). Supports 1 Gig throughput per unit.

939-9610

BreakingPoint Virtual Edition (VE) SUBSCRIPTION 10G FLOATING Counted License. INCLUDES access to Application and Threat Intelligence Program (ATI) and updates for the purchased term (List price is per unit, per year). REQUIRES: License term to be specified (MUST be purchased in multiples of years).

IXIA WORLDWIDE 26601 W. AGOURA ROAD CALABASAS, CA 91302

(TOLL FREE NORTH AMERICA) 1.877.367.4942 (OUTSIDE NORTH AMERICA) +1.818.871.1800 (FAX) 818.871.1805 www.ixiacom.com IXIA EUROPE
CLARION HOUSE, NORREYS DRIVE
MAIDENHEAD SL6 4FL
UNITED KINGDOM

SALES +44.1628.408750 (FAX) +44.1628.639916 IXIA ASIA PACIFIC 101 THOMSON ROAD, #29-04/05 UNITED SQUARE, SINGAPORE 307591

SALES +65.6332.0125 (FAX) +65.6332.0127

i BreakingPoint VM deployment via "Administration>VM Deployment" is not supported in this environment.